



NUFIT PIPING SOLUTIONS

Address: 22/28, 3rd Panjrapole Lane, Shop No. 2,
Near C.P. Tank Road, Mumbai – 400 004, INDIA

Phone: +91-22-6617 2569 / 2242 3168

Mobile: +91-9823458877 / 9545233633

Email: sales@nufitpiping.com / nufitpiping@gmail.com

Website: www.nufitpiping.com

STAINLESS STEEL MECHANICAL PROPERTIES

MECHANICAL PROPERTIES					
Grade	Tensile Strength Mpa, (Min)	Yield Strength Mpa, (Min)	%Age Elongation in 50mm gauge length min	Hardness (Max)	
				BHN	Rb
301	515	205	40	217	95
304	515	205	40	201	92
304L	485	170	40	201	92
310S	515	205	40	217	95
316	515	205	40	217	95
316L	485	170	40	217	95
317	515	205	35	217	95
317L	515	205	40	217	95
321	515	205	40	217	95
347	515	205	40	201	92
409	380	170	20	179	88
409M	430	275	20	187	90
410S	415	205	22	183	89
410	450	205	20	217	89
420	700(max)	-	15	217	95
430	450	205	22	183	89
JSL AUS	515	205	40	217	95
JS-203	515	205	40	217	95
301M	515	205	40	217	95